





## 2021 PRODUCT CATALOG

 Bofa Building Xinnan 2nd Industrial Area, qishi Town,  
dongguan City, guangdong, china

 [www.bofabulb.com](http://www.bofabulb.com)

 [peter@bofabulb.com](mailto:peter@bofabulb.com)

 86-769-8221 1385  
86-159 2068 8648

**BROAD AND PROFOUND  
UNLIMITED DEVELOPMENT**

# COMPANY INTRODUCTION

In 2021, The Construction Project Of More Than 90000 Square Meters Of Plant In Ezhou, Hubei Province Was Started.



## PROFOUNDER KNOWLEDGE ACQUIRED, GREATER LEAP ACHIEVED

Founded in 2009, as one of the earliest specially-shaped LED filament lighting products manufacturers, Dongguan BoFa Electric Technology Co., Ltd, has its headquarter located in Dongguan which is a famous city for manufacturing worldwide.

Bofa has been developing speedily in the past decade, so to possess its factory area of over 20,000 sqms, on which 5 advanced automatic production lines and another 30 semi-automatic lines are equipped with dozens of smart testing machines matched accordingly.

Through joint arduous work done by the professional 100-staff-R&D & Managerial -team and all 500 production workers, Bofa's annual turnover has reached over 30 million USD yearly.

Bofa has been doing its utmost to become an environmentally-friendly manufacturer all these years, as the act to protect the environment during manufacturing is believed internationally by all leading enterprises.

Bofa hence would invite you to partner with us so to grow together steady and quick, regardless of intenser competition internationally in the scientific & technological industry because a great enterprise is always born in adversity.


Bofa has been doing its utmost to become an environmentally-friendly manufacturer all these years, as the act to protect the environment during manufacturing is believed internationally by all leading enterprises.

Bofa hence would invite you to partner with us so to grow together steady and quick, regardless of intenser competition internationally in the scientific & technological industry because a great enterprise is always born in adversity.



# ENTERPRISE HONOR

Dofa hence would invite you to partner with us so to grow together steady and quick, regardless of intenser competition internationally in the scientific & technological industry because a great enterprise is always born in adversity.





NEW PRODUCTS  
001-006



METALLIC COLOR RED  
007



HALF RED  
008



METALLIC GOLD  
009-010



MIRROR FRONT LAMP  
075-076



MIRROR FRONT LAMP  
077



MIRROR FRONT LAMP  
078



LED FILAMENT BULB  
079-084



HALF RED  
011-014



METALLIC GOLD  
015-018



METALLIC SILVER  
019-022



PAINTED BULB  
023-030



LED FILAMENT BULB  
085-090



DECORATIVE BULB  
091-092



W-FILAMENT BULB  
093-096



COPPER WIRE LAMP  
097-100



PORCELAIN  
031-034



COLORFUL BULB  
035-036



EXTRA LARGE BULB  
037-046



ELECTROPLATING COLOR  
047-056



3D FIREWORK LAMP  
101-104



PENDANT LAMP  
105-112



WALL LAMP  
113-114



PENDANT LAMP  
115-118



ELECTROPLATING COLOR  
057-058



HALF SILVER  
059-070



FROSTED BULB  
071-072




PLASTIC BULB  
073-074



TABLE LAMP  
119-125



DECORATIVE TABLE LAMP BASE  
126-134



DECORATIVE TABLE LAMP BASE  
135-136



## NEW PRODUCTS

Extra slim flexible filament bulb  
Original tomas edison design but led chip





**G80**  
220-240V 4W-1800K 180LM

Ø:80mm H:118mm Amber



**G125**  
220-240V 5W-1800K 180LM

Ø:140mm H:405mm Amber



**G95**  
220-230V 5W-2000K 180LM

Ø:95mm H:138mm Amber



**G125**  
220-240V 4W-1800K 180LM

Ø:95mm H:138mm Amber



**G95**  
220-230V 4W-1800K 180LM

Ø:95mm H:138mm Amber



**ST64**  
220-240V 4W-2200K 180LM

Ø:64mm H:140mm Half Red





**G125-PS-S13**  
220-240V 4W-1800K 100LM

Ø:125mm H:176mm Smoke



**ST64-PS-S3**  
220-240V 4W-1800K 100LM

Ø:64mm H:140mm Smoke



**A19-PA-T13**  
220-240V 4W-1800K 160LM

Ø:60mm H:108mm Amber



**T64-PS-S3**  
220-240V 4W-1800K 160LM

Ø:30mm H:225mm Amber



**A19-PS-T13**  
220-240V 4W-1800K 100LM

Ø:60mm H:108mm Smoke



**A19-PS-S13**  
220-240V 4W-1800K 100LM

Ø:95mm H:138mm Smoke



**ST64-PA-SL3**  
220-230V 4W-1800K 160LM

Ø:64mm H:140mm Amber



**ST64-PA-S3**  
220-240V 4W-1800K 160LM

Ø:64mm H:140mm Amber






works with Amazon Alexa  
works with Google Assistant  
WiFi tuya



- WIFI Technology, Mobile APP / Amazon Alexa / Tmall Genie / Google Home Control
- Unlimited Control Distance As Long As WIFI Has Coverage
- Multiple Device Control Feasible, Allow Time Scheduling
- 4w RGB+W Filament Setting, Optional Light Efficacy At Different Coler Light
- No Light Flickering IC Driver



works with Amazon Alexa  
works with Google Assistant  
WiFi tuya



- WIFI Technology, Mobile App / Amazon Alexa / Tmall Genie / Google Home Control
- Unlimited Control Distance As Long As Wifi Has Coverage
- Multiple Device Control Feasible, Allow Time Scheduling
- Control The Color Temperature And Dimmable
- Different Coler Light
- No Light Flickering Ic Driver





# HALF RED



 works with Amazon Alexa

 works with Google Assistant



- ✔ Remote Controller To Control The Light Bulbs
- ✔ Unlimited Control Distance As Long As Wifi Has Coverage
- ✔ Multiple Device Control Feasible, Allow Time Scheduling
- ✔ Control Dimmable And Cct Changes, With Night Light Function
- ✔ No Light Flickering Ic Driver




B22



E26



E27



METALIC COPPER

METALIC COPPER





— JP110-MC-S —

220-230V 4W-1800K 40LM

Ø:110mm H:307mm Metallic Copper



— G125ET-MC-S —

220-230V 4W-1800K 100LM

Ø:125mm H:178mm Metallic Copper



— A165ET-MC-S —

220-230V 4W-1800K 100LM

Ø:165mm H:280mm Metallic Copper



— G150LZ-MC-S —

220-230V 4W-1800K 100LM

Ø:150mm H:200mm Metallic Copper



The Glass Is Coating With Special Gold Material Reflect An Amazing Warm And Fancy Light Effect.





— **A165ET-MG-S** —  
220-240V 5W-2200K 50LM  
—  
Ø:165mm H:280mm Metallic Gold  
—



— **G125ET-MC-S** —  
220-240V 4W-2380K 100LM  
—  
Ø:125mm H:176mm Metallic Gold  
—



— **G150LZ-MC-S** —  
220-230V 6W-1800K 250LM  
—  
Ø:150mm H:200mm Metallic Gold  
—



METALIC SILVER

METALIC SILVER





— A165ET-MM-S —  
220-240V 4W-1800K 100LM

Ø:165mm H:380mm Metallic Silver



— G125ET-MM-S —

220-240V 4W-1800K 100LM

Ø:125mm H:176mm Metallic Silver



— G150LZ-MM-S —

220-230V 6W-1800K 150LM

Ø:150mm H:200mm Metallic Silver




## PAINTED BULB SERIES



The Painting Color  
Of Bulbs  
Could Be Different  
Match






— T170-JBBU-S —  
220-230V 5W-1800K 120LM  
Ø:170mm H:270mm Half Blue

- CRI
- Dimmable
- Base cap: E27
- 25,000 hours



— T170-JBGE-S —  
220-230V 5W-1800K 120LM  
Ø:170mm H:270mm Half Green

- CRI
- Dimmable
- Base cap: E27
- 25,000 hours



— T170-QDBU-S —  
220-230V 6W-1800K 120LM  
Ø:170mm H:270mm Dark Blue

- CRI
- Dimmable
- Base cap: E27
- 25,000 hours



— T170-QFBG-S —  
220-230V 6W-1800K 120LM  
Ø:170mm H:270mm Light Blue

- CRI
- Dimmable
- Base cap: E27
- 25,000 hours



— R220-JBBU-S —  
220-230V 5W-1800K 140LM  
Ø:220mm H:225mm Half Blue




— R220-JBBA-S —  
220-230V 5W-1800K 140LM  
Ø:220mm H:225mm Half Brown



— R220-JBPN-S —  
220-230V 5W-1800K 140LM  
Ø:220mm H:225mm Half Pink



— R220-QBG-S —  
220-230V 5W-1800K 14LM  
Ø:140mm H:405mm Half Green




— T120-JBGE-S —  
220-230V 5W-1800K 140LM  
Ø:120mm H:198mm Half Green



— T120-JBBU-S —  
220-230V 5W-1800K 140LM  
Ø:120mm H:198mm Half Blue



— T120-JBPL-S —  
220-230V 5W-1800K 140LM  
Ø:120mm H:198mm Half Purple



— C150-JBOR-S —  
220-230V 5W-1800K 140LM  
Ø:150mm H:245mm Half Orange




— A165D-JBBG-S —  
220-230V 5W-1800K 140LM  
Ø:165mm H:313mm Blue




— A165D-JBHB-S —  
220-230V 5W-1800K 140LM  
Ø:165mm H:313mm Half Light Blue





— **D140-JBLS** —  
220-230V 5W-1800K 100LM  
Ø:140mm H:200mm Half Green



— **D140-JBZS** —  
220-230V 5W-1800K 100LM  
Ø:140mm H:200mm Half Brown



— **D140-JBHR-S** —  
220-230V 5W-2200K 100LM  
Ø:140mm H:200mm Half Red



— **D160-QPN-S** —  
220-230V 5W-2200K 100LM  
Ø:140mm H:405mm Pink



— **G125-JBHS-T** —  
220-230V 4W-2200K 100LM  
Ø:120mm H:176mm Half Smoke



— **G125-JBLS-T** —  
220-230V 4W-2200K 100LM  
Ø:125mm H:176mm Half Green



— **G125-JBZS-T** —  
220-230V 4W-2200K 100LM  
Ø:120mm H:176mm Half Brown



— **ST64-JBHS-S** —  
220-240V 5W-2200K 120LM  
Ø:64mm H:140mm Half Smoke



— **ST64-JBLS-S** —  
220-240V 5W-2200K 120LM  
Ø:64mm H:140mm Half Green



— **ST64-JBZS-S** —  
220-240V 4W-2200K 100LM  
Ø:64mm H:140mm Half Brown



# WARM FILAMENT LED SERIES



— G125-PW-C8 —  
220-240V 8W-4000K 800LM  
Ø:125mm H:176mm Porcelain



— G200-PW-C8 —  
220-240V 8W-4000K 800LM  
Ø:200mm H:280mm Porcelain



— R160-PW-C6 —  
220-240V 6W-2700K 600LM  
Ø:160mm H:215mm Porcelain



— T120-PW-C6 —  
220-240V 6W-2700K 600LM  
Ø:120mm H:198mm Porcelain





<p>— <b>G150W-PW-C6</b> — 220-240V 6W-2700K 600LM Ø:150mm H:195mm Porcelain</p>	<p>— <b>G150D-PW-C6</b> — 220-240V 6W-2700K 600LM Ø:150mm H:195mm Porcelain</p>	<p>— <b>G125B-PW-C6</b> — 220-240V 6W-2700K 600LM Ø:125mm H:176mm Porcelain</p>	<p>— <b>G125W-PW-C6</b> — 220-240V 6W-2700K 600LM Ø:125mm H:176mm Porcelain</p>
<p>Ⓡ<sub>a</sub> 90 Dimmable Base cap E27 25,000hours</p>	<p>Ⓡ<sub>a</sub> 90 Dimmable Base cap E27 25,000hours</p>	<p>Ⓡ<sub>a</sub> 90 Dimmable Base cap E27 25,000hours</p>	<p>Ⓡ<sub>a</sub> 90 Dimmable Base cap E27 25,000hours</p>



<p>— <b>G95-PW-C6</b> — 220-240V 6W-2700K 600LM Ø:95mm H:140mm Porcelain</p>	<p>— <b>G150-PW-C6</b> — 220-240V 6W-2700K 600LM Ø:150mm H:198mm Porcelain</p>	<p>— <b>A19-PW-C4</b> — 220-240V 4W-2700K 400LM Ø:60mm H:108mm Porcelain</p>	<p>— <b>ST64-PW-C4</b> — 220-240V 6W-2700K 400LM Ø:64mm H:140mm Porcelain</p>
<p>Ⓡ<sub>a</sub> 90 Dimmable Base cap E27 25,000hours</p>	<p>Ⓡ<sub>a</sub> 90 Dimmable Base cap E27 25,000hours</p>	<p>Ⓡ<sub>a</sub> 90 Dimmable Base cap E27 25,000hours</p>	<p>Ⓡ<sub>a</sub> 90 Dimmable Base cap E27 25,000hours</p>



<p>— <b>MRF200-PW-C6</b> — 220-240V 6W-2700K 600LM Ø:200mm H:152mm Porcelain</p>	<p>— <b>MR200-PW-C6</b> — 220-240V 6W-2700K 600LM Ø:200mm H:165mm Porcelain</p>	<p>— <b>T145-PW-C6</b> — 220-240V 6W-2700K 600LM Ø:145mm H:178mm Porcelain</p>	<p>— <b>SQ95-PW-C4</b> — 220-240V 4W-2700K 400LM Ø:95mm H:145mm Porcelain</p>
<p>Ⓡ<sub>a</sub> 90 Dimmable Base cap E27 25,000hours</p>	<p>Ⓡ<sub>a</sub> 90 Dimmable Base cap E27 25,000hours</p>	<p>Ⓡ<sub>a</sub> 90 Dimmable Base cap E27 25,000hours</p>	<p>Ⓡ<sub>a</sub> 90 Dimmable Base cap E27 25,000hours</p>



<p>— <b>C35-PW-C4</b> — 220-240V 4W-2700K 360LM Ø:35mm H:98mm Porcelain</p>	<p>— <b>T30-185-PW-V4</b> — 220-240V 6W-2700K 600LM Ø:30mm H:185mm Porcelain</p>	<p>— <b>T30-30-PW-V8</b> — 220-240V 6W-2700K 600LM Ø:30mm H:300mm Porcelain</p>	<p>— <b>G45-PW-V4</b> — 220-240V 5W-2700K 400LM Ø:45mm H:75mm Porcelain</p>
<p>Ⓡ<sub>a</sub> 90 Dimmable Base cap E27 25,000hours</p>	<p>Ⓡ<sub>a</sub> 90 Dimmable Base cap E27 25,000hours</p>	<p>Ⓡ<sub>a</sub> 90 Dimmable Base cap E27 25,000hours</p>	<p>Ⓡ<sub>a</sub> 90 Dimmable Base cap E27 25,000hours</p>



— G125ET-MG-S —

220-240V 4W -1800K 200LM

Ø:125mm H:176mm Rainbow



— DR80-PR-S —

220-240V 4W -1800K 200LM

Ø:80mm H:326mm Rainbow



— JP110-PR-S —

220-240V 4W -1800K 200LM

Ø:110mm H:307mm Rainbow



EXTRA LARGE BULB



EXTRA LARGE BULB



— G300-PA-V —

220-240V 8W -2200K 500LM

Ø:300mm H:405mm Half Red



CRI



Dimmable



Base cap: E27



25,000hour

Out curviest medel with a spiraled led. Eht our led shaped leds and the gold ginish give light source a classic geel. This model roeks best with our E27 Cord Set.



— PG200-PA-S —

220-240V 5W -1900K 200LM

Ø:200mm H:408mm Amber



— WCGL-PA-S —

220-240V 5W -1900K 200LM

Ø:200mm H:335mm Amber



— R220-PA-S —

220-240V 5W -1900K 200LM

Ø:200mm H:225mm Amber



— HP215-PA-S —

220-240V 5W -1900K 200LM

Ø:215mm H:362mm Amber







— BT180-PA-V12 —

220-240V 10W -2200K 800LM

Ø:180mm H:340mm Amber



— TT75-PA-V8 —

220-240V 8W -2200K 620LM

Ø:75mm H:310mm Amber



— CT180-PA-V8 —

220-240V 8W -2200K 650LM

Ø:180mm H:650mm Amber





— C150-PS-S —

220-240V 5W -1900K 120LM


Ø:150mm H:330mm Smoke



— D1440-PS-S —

220-240V 5W -1900K 120LM

Ø:140mm H:405mm Smoke



— A165ET-Ps-S —

220-240V 5W-1900K 120LM Ø:165mm H:280mm Smoke



EXTRA LARGE BULB



— G200-PS-S —

220-240V 5W -1800K 120LM

Ø:200mm H:280mm Smoke



— HP160-PS-S —

220-240V 5W -1800K 120LM

Ø:160mm H:253mm Smoke



EXTRA LARGE BULB



## SPECIAL SHAPED BULB



## SPECIAL SHAPED BULB

— SG125-PS-S —  
220-240V 5W -1900K 120LM  
Ø:125mm H:262mm Smoke



Out curviest model with a spiraled led. Eht ourled shaped leds and the gold ginish give light source a classic geel.  
This model roeks best with our E27 Cord Set.





— CH160-PS-S —

220-240V 5W -1800K 120LM

Ø:160mm H:250mm Smoke



— BT180-PA-S —

220-240V 4W -1800K 160LM

Ø:140mm H:405mm Half Red



— G125SBW-PS-S —

220-240V 5W -1800K 120LM

Ø:125mm H:165mm Smoke



— FDTW200-PS-S —

220-240V 5W -1800K 120LM

Ø:200mm H:165mm Smoke





— FD200-PA-CIRCLE —

220-240V 5W -1900K 100LM

Ø:200mm H:152mm Smoke



— PEPPER80-PBGE-S —

220-240V 5W -1900K 140LM

Ø:140mm H:405mm Green



— G125SBW-PA-V4 —

220-240V 4W -2200K 320LM

Ø:125mm H:165mm Amber



— G150SBW-PA-V4 —

220-240V 4W -2200K 320LM

Ø:150mm H:198mm Amber





— G95PD-PA-V4 —

220-240V 4W -2200K 320LM

Ø:95mm H:138mm Amber



— G95FD-PA-V4 —

220-240V 4W -2200K 320LM

Ø:140mm H:405mm Amber



— SMR200-PA-T —

220-240V 4W -1800K 150LM

Ø:200mm H:165mm Amber



— MR200-PA-S —

220-240V 4W -1800K 150LM

Ø:140mm H:405mm Amber



SPECIAL SHAPED BULB



— 125HT-PA-S —  
220-240V 4W -1800K 150LM  
Ø:125mm H:165mm Amber



— 125HT-PA-V4 —  
220-240V 4W -2200K 320LM  
Ø:125mm H:165mm Amber



— 125PD-PA-V4 —  
220-240V 4W -2200K 320LM  
Ø:125mm H:160mm Amber



— 145ST-PA-V4 —  
220-240V 4W -2200K 320LM  
Ø:140mm H:405mm Amber



SPECIAL SHAPED BULB

— DR80-PA-S —  
220-240V 5W -1800K 150LM  
Ø:80mm H:320mm Amber



— JP120-PA-SL —  
220-240V 5W -1800K 150LM  
Ø:140mm H:405mm Half Red







— BT180-PA-S —

220-240V 5W -1800K 150LM

Ø:140mm H:405mm Half Red



— BT180-PA-S —

220-240V 5W -1800K 150LM

Ø:140mm H:405mm Half Red



HALF COATED BULB



HALF COATED BULB





**G125-HS-V6**  
220-240V 6W-2700K 500LM  
Ø:125mm H:176mm Half Silver



**G95-HS-V6**  
220-240V 6W-2700K 400LM  
Ø:140mm H:405mm Half Silver



**G200-HS-VL**  
220-240V 6W-2700K 500LM  
Ø:140mm H:405mm Half Silver



**G200-HS-V8L**  
220-240V 6W-2700K 500LM  
Ø:140mm H:405mm Half Silver



**A19-HS-V8**  
220-240V 7W-2200K 400LM  
Ø:140mm H:405mm Half Silver



**G45-HS-V6**  
220-240V 4W-2200K 300LM  
Ø:140mm H:405mm Half Silver





**G125-HG-V4**  
220-240V 4W -2200K 300LM  
Ø:120mm H:176mm Half Gold



**G95-HG-V4**  
220-240V 4W -2200K 300LM  
Ø:95mm H:140mm Half Gold



**A19-HG-V4**  
220-240V 4W -2200K 300LM  
Ø:140mm H:405mm Half Gold



**G80-HG-V8**  
220-240V 7W -2200K 500LM  
Ø:80mm H:118mm Half Gold





**G300-HG-V6L**

220-240V 6W -2200K 420LM  
 Ø:200mm H:280mm Half Gold



**G125-HRG-V6**

220-240V 6W -2700K 420LM  
 Ø:125mm H:176mm Half Rose Gold



**G80-HG-V8L**

220-240V 7W -2200K 600LM  
 Ø:80mm H:118mm Half Gold



**A19-HRG-V4**

220-240V 4W -2200K 300LM  
 Ø:140mm H:405mm Half Rose Gold



**G95-HRG-V6**

220-240V 6W -2700K 420LM  
 Ø:140mm H:405mm Half Rose Gold





**R220-HB-V6**  
 220-240V 6W-2700K 420LM  
 Ø:220mm H:405mm Half Black



**G80-HB-V6**  
 220-240V 6W-2700K 420LM  
 Ø:80mm H:118mm Half Black



**G125-HB-V4**  
 220-240V 4W-2700K 300LM  
 Ø:125mm H:176mm Half Black



**A19-HB-V4**  
 220-240V 4W-2700K 300LM  
 Ø:140mm H:405mm Half Black



**ST64-HB-V4**  
 220-240V 4W-2700K 300LM  
 Ø:140mm H:405mm Half Black



**ST64-HB-V4**  
 220-240V 4W-2700K 300LM  
 Ø:140mm H:405mm Half Black





**R220--HG-V4L**  
220-240V 4W-2700K 300LM  
Ø:200mm H:280mm Half Gold



**R220-HG-V4**  
220-240V 4W-2700K 300LM  
Ø:220mm H:225mm Half Gold



FROSTED BULB

FROSTED BULB



A19-PF-C4

A19-PF-C4

T63-PF-C4

R220-JBBU-S

220-240V 4W -2200K 30LM

220-240V 4W -2700K 300LM

220-240V 4W -2700K 260LM

220-240V 5W -1800K 150LM

Ø:60mm H:108mm Frosted

Ø:60mm H:108mm Frosted

Ø:63mm H:115mm Frosted

Ø:140mm H:405mm Frosted



C35-PF-C4

A60-PS-35

ST64-PF-C4

A19-PF-C6

220-240V 5W -1800K 150LM

220-240V 5W -1800K 150LM

220-240V 4W -2700K 260LM

220-240V 56W -2700K 400LM

Ø:140mm H:405mm Frosted

Ø:35mm H:68mm Frosted

Ø:64mm H:140mm Frosted

Ø:60mm H:108mm Frosted







— G40P-QC-V2 —  
220-240V 1W -2700K 60LM  
Ø:40mm H:68mm Clear



— G45P-QC-V2 —  
220-240V 1W -2700K 60LM  
Ø:45mm H:75mm Clear



— A19-QC-V4 —  
220-240V 4W -2700K 300LM  
Ø:140mm H:405mm Clear



— ST64P-QC-V2 —  
220-240V 2W -2700K 150LM  
Ø:64mm H:140mm Clear



— A19P-PCA-SMD —  
220-240V 7W -3000K/4200K/6000K 1650LM  
Ø:60mm H:108mm White



— A19P-PCA-SMD —  
220-240V 7W -3000K/4200K/6000K 810LM  
Ø:60mm H:108mm White



— G40TP-QC-U —  
220-240V 0.6W -2700K 30LM  
Ø:40mm H:68mm Clear



— G40-QC-V1 —  
220-240V 0.3W -2700K 20LM  
Ø:40mm H:68mm Clear



— ML-T30/1000-PW-S —

220-240V 8W -2700K 530LM

Ø:30mm H:1000mm Porcelain



— ML-T30/500-PW-S —

220-240V 6W -2700K 380LM

Ø:30mm H:500mm Porcelain



— ML-T30/300-QC-S —

220-240V 5W-2700K 300LM Ø:30mm H:300mm Clear



— ML-T30-500-QC-S —

220-240V 6W-2700K 400LM Ø:30mm H:500mm Clear



MICROVAVE BULB



Dimmable & warm white glow , convenient for your cooking



A165ET-MG-S	220-240V	2200K-4W	Ø:140mm	H:405mm	Half Red
A165ET-MG-S	220-240V	2200K-4W	Ø:140mm	H:405mm	Half Red

REFRIGERATOR LED BULB




A165ET-MG-S	220-240V	2200K-4W	Ø:140mm	H:405mm	Half Red
A165ET-MG-S	220-240V	2200K-4W	Ø:140mm	H:405mm	Half Red



LED FILAMENT BULB



- ♥ Appealing Amber / Smoky Grey / Gun Grey Colored Bulb Shell Of High Clarity, Perfect Decorative Choice
- ♥ High Quality Driver With Minimized Flickering
- ♥ Optional Long / Short Filament For Different Visual Effect
- ♥ Dimmable Models Option
- ♥ Lifetime Of 25,000 Hrs. With 2 Years Warranty



## LED FLEXIBLE FILAMENT BULB -AMBER



— **C35-PA-QD** —  
220-240V 3W-1800K 150LM  
Ø:35mm H:91mm Amber



— **G35BTL-PA-QD** —  
220-240V 3W-1800K 150LM  
Ø:35mm H:123mm Amber



— **G45-PA-QD** —  
220-240V 3W-1800K 150LM  
Ø:45mm H:75mm Amber



— **G45-PA-QD** —  
220-240V 3W-1800K 150LM  
Ø:45mm H:71mm Amber



— **A60T-PA-QD** —  
220-240V 4W-1800K 150LM  
Ø:60mm H:108mm Amber



— **A60-PA-QD** —  
220-240V 4W-1800K 150LM  
Ø:60mm H:108mm Amber



— **ST64-PA-DS** —  
220-240V 4W-1800K 150LM  
Ø:64mm H:140mm Amber



— **ST64-PA-S3** —  
220-240V 4W-1800K 150LM  
Ø:64mm H:140mm Amber



— **T45-PA-S3** —  
220-240V 4W-1800K 150LM  
Ø:140mm H:405mm Amber



— **G80-PA-PS** —  
220-240V 4W-1800K 150LM  
Ø:80mm H:118mm Amber



## LED FLEXIBLE FILAMENT BULB -AMBER



— **T30-PA-SP** —  
220-240V 4W-1800K 150LM  
Ø:30mm H:300mm Amber



— **T30-PA-S3** —  
220-240V 4W-1800K 150LM  
Ø:30mm H:185mm Amber



— **G125-PA-S3** —  
220-240V 4W-1800K 150LM  
Ø:125mm H:176mm Amber



— **G125-PA-QD** —  
220-240V 4W-1800K 150LM  
Ø:125mm H:176mm Amber



— **G95-PA-SL** —  
220-240V 4W-1800K 150LM  
Ø:95mm H:140mm Amber



— **G80-PA-5** —  
220-240V 4W-1800K 150LM  
Ø:80mm H:118mm Amber



— **G125-PA-PS** —  
220-240V 4W-1800K 150LM  
Ø:125mm H:176mm Amber



— **G80-PA-DL** —  
220-240V 4W-1800K 150LM  
Ø:80mm H:118mm Amber



— **G125-PA-CL** —  
220-240V 4W-1800K 150LM  
Ø:125mm H:176mm Amber



— **G80-PA-PS** —  
220-240V 4W-1800K 150LM  
Ø:80mm H:118mm Amber



## LED FLEXIBLE FILAMENT BULB -CLEAR



— C35-QG-QD —  
220-240V 3W-1800K 120LM  
Ø:35mm H:90mm Clear



— C35-QG-S3 —  
220-240V 3W-1800K 120LM  
Ø:35mm H:90mm Clear



— G145-QG-QD —  
220-240V 3W-1800K 120LM  
Ø:45mm H:71mm Clear



— A60T-QG-QD —  
220-240V 3W-1800K 150LM  
Ø:60mm H:108mm Clear



— G80-QG-S3 —  
220-240V 4W-1800K 150LM  
Ø:80mm H:118mm Clear



— ST64-QG-S3 —  
220-240V 4W-1800K 150LM  
Ø:64mm H:140mm Clear



— G125-QG-QD —  
220-240V 4W-1800K 150LM  
Ø:125mm H:176mm Clear



— G95-QG-QD —  
220-240V 4W-1800K 150LM  
Ø:95mm H:140mm Clear



## LED FLEXIBLE FILAMENT BULB -SMOKED



— G45-SK-S3 —  
220-240V 3W-1800K 90LM  
Ø:45mm H:71mm Smoked



— C35-SK-S3 —  
220-240V 3W-1800K 100LM  
Ø:35mm H:90mm Smoked



— ST64-SK-S3 —  
220-240V 4W-1800K 100LM  
Ø:64mm H:140mm Smoked



— A60-SK-QD —  
220-240V 4W-1800K 100LM  
Ø:60mm H:108mm Smoked



— G80-SK-DS —  
220-240V 4W-1800K 100LM  
Ø:80mm H:140mm Smoked



— G95-SK-DS —  
220-240V 4W-1800K 100LM  
Ø:95mm H:140mm Smoked



— G125-STC-S3 —  
220-240V 4W-1800K 100LM  
Ø:125mm H:176mm Smoked



— G80-SK-DL —  
220-240V 4W-1800K 100LM  
Ø:80mm H:118mm Smoked



# LED REGULAR FILAMENT BULB -AMBER



# LED REGULAR FILAMENT BULB -AMBER



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
C35-QC-V4	35x90	Amber	4x38	2700	320	120V/230V	E14/E27	4w	4w
C35-QC-V6	35x90	Amber	6x38	2700	500	120V/230V	E14/E27	5w	5w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
A60-QC-V4	60x108	Amber	4x38	2700	320	120V/230V	E26/E27	4w	4w
A60-QC-V6	60x108	Amber	6x38	2700	600	120V/230V	E26/E27	6w	6w
A60-QC-V8	60x108	Amber	8x38	2700	480	120V/230V	E26/E27	8w	8w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
ST64-QC-V4	64x140	Amber	4x38	2700	320	120V/230V	E26/E27	4w	4w
ST64-QC-V6	64x140	Amber	6x38	2700	600	120V/230V	E26/E27	6w	6w
ST64-QC-V8	64x140	Amber	8x38	2700	480	120V/230V	E26/E27	8w	8w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
G125-QC-V4	125x176	Amber	4x38	2700	320	120V/230V	E26/E27	4w	4w
G125-QC-V6	125x176	Amber	6x38	2700	600	120V/230V	E26/E27	6w	6w
G125-QC-V8	125x176	Amber	8x38	2700	480	120V/230V	E26/E27	8w	8w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
G95-QC-V4	95x140	Amber	4x38	2700	320	120V/230V	E26/E27	4w	4w
G95-QC-V6	95x140	Amber	6x38	2700	600	120V/230V	E26/E27	6w	6w
G95-QC-V8	95x140	Amber	8x38	2700	480	120V/230V	E26/E27	8w	8w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
T45-QC-V4	45x110	Amber	4x38	2700	320	120V/230V	E26/E27	4w	4w
T45-QC-V6	45x110	Amber	6x38	2700	600	120V/230V	E26/E27	6w	6w

## LED REGULAR FILAMENT BULB -CLEAR



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
C35-QC-V4	35x90	CLEAR	4x38	2700	320	220-240V	E14/E27	4w	Yes
C35-QC-V6	35x90	CLEAR	6x38	2700	600	220-240V	E14/E27	5w	Yes



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
C35T-QC-V4	35x105	CLEAR	4x38	2700	320	220-240V	E14/E27	4w	Yes
C35T-QC-V6	35x105	CLEAR	6x38	2700	600	220-240V	E14/E27	5w	Yes



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
G45-QC-V4	45x75	CLEAR	4x38	2700	320	220-240V	E26/E27	4w	Yes
G45-QC-V6	45x75	CLEAR	6x38	2700	600	220-240V	E26/E27	5w	Yes



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
S14-QC-V4	45x87	CLEAR	4x38	2700	320	220-240V	E26/E27	2w	Yes
S14-QC-V6	45x87	CLEAR	6x38	2700	600	220-240V	E26/E27	4w	Yes



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
ST64-QC-V4	64x140	CLEAR	4x38	2700	320	220-240V	E26/E27	4w	Yes
ST64-QC-V6	64x140	CLEAR	6x38	2700	600	220-240V	E26/E27	6w	Yes
ST64-QC-V8	64x140	CLEAR	8x38	2700	480	220-240V	E26/E27	8w	Yes



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
A60-QC-V4	60x108	CLEAR	4x38	2700	320	220-240V	E26/E27	4w	Yes
A60-QC-V6	60x108	CLEAR	6x38	2700	600	220-240V	E26/E27	6w	Yes
A60-QC-V8	60x108	CLEAR	8x38	2700	320	220-240V	E26/E27	8w	Yes

## LED REGULAR FILAMENT BULB -CLEAR



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
G80-QC-V4	80x108	CLEAR	4x38	2700	320	220-240V	E26/E27	4w	Yes
G80-QC-V6	80x108	CLEAR	6x38	2700	600	220-240V	E26/E27	6w	Yes
G80-QC-V8	80x108	CLEAR	8x38	2700	480	220-240V	E26/E27	8w	Yes



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
G95-QC-V4	95x140	CLEAR	4x38	2700	320	220-240V	E26/E27	4w	Yes
G95-QC-V6	95x140	CLEAR	6x38	2700	600	220-240V	E26/E27	6w	Yes
G95-QC-V8	95x140	CLEAR	8x38	2700	480	220-240V	E26/E27	8w	Yes



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
G125-QC-V4	125x176	CLEAR	4x38	2700	320	220-240V	E26/E27	4w	Yes
G125-QC-V6	125x176	CLEAR	6x38	2700	600	220-240V	E26/E27	6w	Yes
G125-QC-V8	125x176	CLEAR	8x38	2700	480	220-240V	E26/E27	8w	Yes



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
T30-QC-V4	30x300	CLEAR	4x38	2700	320	120V/230V	E26/E27	4w	4w
T30-QC-V6	30x300	CLEAR	6x38	2700	600	120V/230V	E26/E27	5w	5w
T30-QC-V8	30x300	CLEAR	8x38	2700	480	120V/230V	E26/E27	6w	6w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
T30-QC-V4	30x185	CLEAR	4x38	2700	320	120V/230V	E26/E27	4w	4w
T30-QC-V6	30x185	CLEAR	6x38	2700	600	120V/230V	E26/E27	5w	5w
T30-QC-V8	30x185	CLEAR	8x38	2700	480	120V/230V	E26/E27	6w	6w



## LED REGULAR FILAMENT BULB -CLEAR



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
T25-QC-V4	25X95	CLEAR	4x38	2700	320	120V/230V	E26/E27	4w	4w
T25-QC-V6	25X95	CLEAR	6x38	2700	600	120V/230V	E26/E27	6w	6w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
T45-QC-V4	45X110	CLEAR	4x38	2700	320	120V/230V	E26/E27	4w	4w
T45-QC-V6	45X110	CLEAR	6x38	2700	600	120V/230V	E26/E27	5w	5w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
T25-QC-V4	25X115	CLEAR	4x38	2700	320	120V/230V	E26/E27	4w	4w
T25-QC-V6	25X115	CLEAR	6x38	2700	600	120V/230V	E26/E27	5w	5w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
T20-QC-V4	20x110	CLEAR	2x38	2700	200	120V/230V	E26/E27	2w	4w
T20-QC-V6	20x110	CLEAR	2x68	2700	200	120V/230V	E26/E27	2w	5w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
ST64-QC-V4	64x140	CLEAR	4x38	2700	320	120V/230V	E26/E27	4w	4w
ST64-QC-V6	64x140	CLEAR	6x38	2700	600	120V/230V	E26/E27	5w	5w
ST64-QC-V8	64x140	CLEAR	8x38	2700	480	120V/230V	E26/E27	6w	6w



Model	Size(Mm)	Colour	Light Bar	Color Temperature	Lumen	Voltage	Base	Power	Dimmable
T30-QC-V4	20x225	CLEAR	4x38	2700	320	120V/230V	E26/E27	4w	4w
T30-QC-V6	20x225	CLEAR	6x38	2700	600	120V/230V	E26/E27	5w	5w
T30-QC-V8	20x225	CLEAR	8x38	2700	480	120V/230V	E26/E27	7w	6w





— H125-FL-CL —

220-240V 3W-2200K 120LM Ø:125mm H:176mm Clear



— G95-FC-CL —

220-240V 3W-2200K 120LM

Ø:95mm H:140mm Clear



— A19P-FC-CL —

220-240V 3W-2200K 120LM

Ø:60mm H:108mm Clear



— ST64-FC-CL —

220-240V 0.6W-2700K 30LM

Ø:64mm H:140mm Clear



— G40-QC-V1 —

220-240V 0.3W-2700K 20LM

Ø:40mm H:68mm Clear





## W-FILAMENT BULB



**ST64-INA-40W**

220-240V 40W 200LM

Ø:64mm H:140mm Half Red



CRI

Dimmable

Base cap: B22d

25,000hours



**ST64-INA-40W**

220-240V 40W 200LM

Ø:140mm H:405mm Half Red



CRI

Dimmable

Base cap: E27

25,000hours

W-FILAMENT BULB



Model	Size(Mm)	Colour	Lumen	Voltage	Power
S14-INC	64x140	Amber	320	40w	4w



Model	Size(Mm)	Colour	Lumen	Voltage	Power
T45	64x140	Amber	320	40w	4w



Model	Size(Mm)	Colour	Lumen	Voltage	Power
A60	64x140	Amber	320	40w	4w



Model	Size(Mm)	Colour	Lumen	Voltage	Power
A60T	64x140	Amber	320	40w	4w



W-FILAMENT BULB



Model	Size(Mm)	Colour	Lumen	Voltage	Power
G80	64x140	Amber	320	40w	4w



Model	Size(Mm)	Colour	Lumen	Voltage	Power
G80	64x140	Amber	320	40w	4w



Model	Size(Mm)	Colour	Lumen	Voltage	Power
G95	64x140	Amber	320	40w	4w



Model	Size(Mm)	Colour	Lumen	Voltage	Power
G125	64x140	Amber	320	40w	4w





COPPER WIRE LAMP



—A165ET-CW-A—

220-240V 3W-1800K Ø:140mm H:405mm 120LM Half Red



CRI



No Dimmable



Base cap: E27



25,000hours



**G95-CW-AM**  
220-240V 3W-1800K 120LM  
Ø:95mm H:140mm Amber  
Ra >80  
No Dimmable Base cap:E27 25,000hours



**D95D-CW-AM**  
220-240V 3W-1800K 120LM  
Ø:95mm H:140mm Amber  
Ra >80  
No Dimmable Base cap:E27 25,000hours




**G125-CW-AM**  
220-240V 6W-2700K 420LM  
Ø:125mm H:176mm Amber  
Ra >80  
No Dimmable Base cap:E27 25,000hours

**ST64-CW-AM**  
220-240V 6W-2700K 420LM  
Ø:64mm H:140mm Amber  
Ra >80  
No Dimmable Base cap:E27 25,000hours



## R220-JBBU-S

Our curviest model with a spiraled led. Eht our led shaped leds and the gold finish give light source a classic feel. This model roeks best with our E27 Cord Set.



### — ST64-3DYL —

220-240V 4W-2700K Ø:64mm H:140mm 100LM 3D Yellow





— A60-3DBU —  
220-240V 4W-2700K 100LM  
Ø:60mm H:108mm 3D Blue

— A60-3DPL —  
220-240V 4W-2700K 100LM  
Ø:60mm H:108mm 3D Puper

— ST64-3DBU —  
220-240V 4W-2700K Ø:140mm H:405mm 100LM 3D Blue



— D110S-3DBU —  
220-240V 4W-2700K 100LM  
Ø:110mm H:165mm 3D Blue

— D110-3DPL —  
220-240V 4W-2700K 100LM  
Ø:110mm H:145mm 3D Puper







# S14 SMART STRING LIGHT



works with Amazon Alexa

works with Google Assistant



- 🔧 S14 smart led string light
- 🔧 Bulb Type: E26
- 🔧 Bulb Wattage: 1W
- 🔧 Bulb Material: PVC
- 🔧 Waterproof Grade: IP65
- 🔧 Remote Control: Included
- 🔧 Length:25Ft 25 Heads
- 🔧 Input:120V
- 🔧 Function:Wifi control,RGBW changes
- 🔧 Breath,Jump,9 scene.

# STRING LIGHT



— S14DGZ-LED-RE —

S14 led string light  
 Bulb Type: E26  
 Bulb Wattage: 1W  
 Bulb Material: PVC  
 Waterproof Grade: IP65  
 Remote Control: Included  
 Length:48Ft 15 Heads  
 Input:120V/220V Adapter

— A165ET-MM-S —

S14 led string light  
 Bulb Type: E26  
 Bulb Wattage: 1W  
 Bulb Material: PVC  
 Waterproof Grade: IP65  
 Remote Control: Included  
 Length:48Ft 15 Heads  
 Input:120V/220V Adapter



A165ET-MM-S

48FT-15 HEADS-S142W-2200K/4000K/5000K

- 1: 2200k-4000k-5000k CCT change
- 2: 25%-50%-75%-100% dimmable
- 3: breath,auto jump function
- 4: low-voltage

## G40 STRING LIGHT



### G40DS-LED-2700K

25FT 25HEADS G40 1W-2700K IP45

G40 led light Bulb Type: E12

Bulb Wattage: 1W Bulb Material: PVC

Waterproof Grade: IP45 Remote Control: Included

Length:25Ft 25 Heads Input:120V

## SMART G40 STRING LIGHT



### G40DGZ-LED-SR

G40 led smart string light

Bulb Type: E12 Bulb Wattage: 0.5W

Bulb Material: PVC Waterproof Grade: IP45

Remote Control: Included Length:25Ft 25 Heads

Input:120V/220V Adapter



## G40 INCANDESCENT STRING LIGHT



### G40WS-INC-7W-2200K

G40 incandescent string light  
Bulb Type: E12 Bulb Wattage: 7W  
Bulb Material: glass Waterproof Grade: IP45  
Length: 25Ft 25 Heads Input: 120V

## C7 STRING LIGHT



### C7SMD-LED-1W-2200K

C7 incandescent string light  
Bulb Type: E12 Bulb Wattage: 1W  
Bulb Material: PC Waterproof Grade: IP45  
Length: 25Ft 25 Heads Input: 120V



— OMT-006 —

∅ 150xH250 Globe Ceiling Light Black



OMT-007  
∅ 170xH225  
Globe Ceiling Light  
Black

OMT-005  
∅ 200xH240  
Globe Ceiling Light  
Black





PENDANT LAMP



— OMT-014 —

φ 190xH415 Industrial Table Light White

PENDANT LAMP



OMT-008  
φ 105xH1200  
Tube Pendant Light  
Black



OMT-009  
φ 115xH1200  
Glass Pendant Light  
Black



OMT-010  
φ 220xH1200  
Glass Pendant Light  
Black



OMT-011  
φ 150xH1200  
Glass Pendant Light  
Black



OMT-012  
φ 138xH1200  
Glass Pendant Light  
Silver



OMT-013  
φ 160xH1200  
Crystal Pendant Light  
Amber

PENDANT LAMP



OMT-015  
φ 115xH1200  
Glass Pendant Light  
Gold



OMT-016  
φ 115xH1200  
Glass Pendant Light  
Black



OMT-017  
φ 115xH1200  
Glass Pendant Light  
White



OMT-018  
φ 115xH1200  
Glass Pendant Light  
White



— OMT-019 —  
φ 210x150xH220  
Globe wall light  
Black



— OMT-020 —  
φ 160x160xH240  
Globe wall light  
Black





— OMT-021 —  
φ 210x150xH220  
Globe wall light  
Black



— OMT-022 —  
φ 160x160xH240  
Globe wall light  
Black



— OMT-023 —  
φ 210x150xH220  
Globe wall light  
Black



— OMT-024 —  
φ 160x160xH240  
Globe wall light  
Black



— OMT-025 —  
φ 210x150xH220  
Globe wall light  
Black



— OMT-026 —  
φ 160x160xH240  
Globe wall light  
Black



— OMT-027 —  
φ 210x150xH220  
Globe wall light  
Black



— OMT-028 —  
φ 160x160xH240  
Globe wall light  
Black



OMT-029  
 ∅ 190xH415  
 Industrial Table Light  
 Black



PRODUCT INFORMATION

Out curviest medel with a spiraled led. Eht our led shaped leds and the gold ginish give light source a classic geel. This model roeks best with our E27 Cord Set.



OMT-030  
 ∅ 110xH300 Crystal table light



OMT-031  
 ∅ 215xH270 Silver

OMT-032  
φ 210x150xH220  
Globe wall light  
Black



OMT-033  
φ 210x150xH220  
Globe wall light  
Black



OMT-034  
φ 190xH415  
Industrial Table Light  
Black



**OMT-035**

φ 190xH415 Industrial Table Light Black



**OMT-036**

φ 270xH310 Industrial Table Light Black



— OMT-037 —  
φ 140xH420  
Globe wall light  
Black

— OMT-038 —  
φ 250xH450  
Globe wall light  
Black

— OMT-039 —  
φ 200xH400  
Globe wall light  
Black

— OMT-040 —  
φ 140xH450  
Globe wall light  
Gold



— OMT-041 —  
φ 380x140xH620  
Globe wall light  
Black

— OMT-042 —  
φ 250xH380  
Globe wall light  
Black

— OMT-043 —  
φ 140xH405  
Globe wall light  
White

— OMT-044 —  
φ 140xH420  
Globe wall light  
White

